

Live the Ken Lifestyle 

KENSTAR



NEW DESIGNS. NEW TECHNOLOGY.
AIR COOLER CATALOGUE 2022

KENSTAR
SUMMER
STOPPERS





Kenstar air coolers are loved by customers for their superior quality, eye catching style and trusted durability. Our 2022 collection is designed to live up to the Kenstar standards and surpass your expectations. With advanced technology to enhance your comfort, cutting-edge aesthetics with stunning shapes, textures and colours that complement the most lavish interior design. And of course, the unchanged Kenstar assurance of peak performance for years and years!

LIVE THE KEN LIFESTYLE

**PRIMEX
SERIES**



Desert Series

KENSTAR

PRIMEX SERIES




HERCULES HC 100 RE

ALSO AVAILABLE WITHOUT REMOTE




AIR DELIVERY
4000 Cu.m./hr



HONEYCOMB COOLING PADS



AIR THROW DISTANCE
13.7 m (45 ft.)




SUITABLE FOR ROOM SIZE UP TO
133 m³ (500 Sq.ft)



LARGE AND POWERFUL FAN BLADE
45.7 cm (18 inch)



MOTORISED LOUVRES MOVEMENT



HUMIDITY CONTROL
*Remote Model

Desert Series




HERCULES HC 80 RE

ALSO AVAILABLE WITHOUT REMOTE




AIR DELIVERY
4000 Cu.m./hr



HONEYCOMB COOLING PADS



AIR THROW DISTANCE
13.7 m (45 ft.)



SUITABLE FOR ROOM SIZE UP TO
133 m³ (500 Sq.ft)



LARGE AND POWERFUL FAN BLADE
45.7 cm (18 inch)



MOTORISED LOUVRES MOVEMENT



HUMIDITY CONTROL
*Remote Model

Desert Series

KENSTAR


PRIMEX SERIES

ICECOOL HC 60 RE

ALSO AVAILABLE WITHOUT REMOTE




AIR DELIVERY
4000 Cu.m./hr



HONEYCOMB COOLING PADS




AIR THROW DISTANCE
13.7 m (45 ft.)



SUITABLE FOR ROOM SIZE UP TO
133 m³ (500 Sq.ft)



LARGE AND POWERFUL FAN BLADE
45.7 cm (18 inch)



HUMIDITY CONTROL
*Remote Model



MOTORISED LOUVRES MOVEMENT

■ Desert Series




AIR DELIVERY
3800 Cu.m./hr



**WOOD WOOL
COOLING PADS**



**AIR THROW
DISTANCE**
13.7 m (45 ft.)



**SUITABLE FOR
ROOM SIZE UP TO**
133 m³ (500 Sq.ft)



**LARGE AND
POWERFUL
FAN BLADE**
45.7 cm (18 inch)



**MOTORISED
LOUVRES
MOVEMENT**



**INVERTER
COMPATIBLE**

Desert Series

KENSTAR

PRIMEX SERIES

NEW




TURBOCOOL NEO HC 105 RE

ALSO AVAILABLE WITHOUT REMOTE




AIR DELIVERY
4200 Cu.m./hr




HONEYCOMB COOLING PADS



AIR THROW DISTANCE
15.2 m (50 ft.)



SUITABLE FOR ROOM SIZE UP TO 140 m³ (500 Sq.ft)



SYSTEM RESTORE
*Remote Model



INVERTER COMPATIBLE



COLLAPSIBLE LOUVRES



ICE CHAMBER

■ Desert Series

NEW




TURBOCOOL NEO HC 70

ALSO AVAILABLE IN
WOODWOOL COOLING PADS




AIR DELIVERY
4200 Cu.m./hr




**HONEYCOMB/
WOODWOOL
COOLING PADS**



**AIR THROW
DISTANCE**
15.2 m (50 ft.)



**SUITABLE FOR
ROOM SIZE UP TO
140 m³ (500 Sq.ft)**



**SYSTEM
RESTORE**
*Remote Model



**INVERTER
COMPATIBLE**



**COLLAPSIBLE
LOUVRES**



**ICE
CHAMBER**

Desert Series

KENSTAR

PRIMEX SERIES

NEW

TURBOCOOL NEO 50 RE

ALSO AVAILABLE WITHOUT REMOTE




AIR DELIVERY
4000 Cu.m./hr




WOOD WOOL COOLING PADS



AIR THROW DISTANCE
13.7 m (45 ft.)



SUITABLE FOR ROOM SIZE UP TO
140 m³ (500 Sq.ft)



SYSTEM RESTORE
*Remote Model



INVERTER COMPATIBLE



COLLAPSIBLE LOUVRES



ICE CHAMBER


Desert Series

NEW

TURBOCOOL NEO HC 50




AIR DELIVERY
4200 Cu.m./hr



HONEYCOMB COOLING PADS



AIR THROW DISTANCE
15.2 m (50 ft.)



SUITABLE FOR ROOM SIZE UP TO
140 m³ (500 Sq.ft)



SYSTEM RESTORE
*Remote Model



INVERTER COMPATIBLE



COLLAPSIBLE LOUVRES



ICE CHAMBER

Desert Series


KENSTAR

PRIMEX SERIES

SLIMLINE SUPER HC 40




AIR DELIVERY
2650 Cu.m./hr



HONEYCOMB COOLING PADS



AIR THROW DISTANCE
10.7 m (35 ft.)



SUITABLE FOR ROOM SIZE UP TO
88 m³ (350 Sq.ft)



15 INCH FAN
38.1 cm (15 inch)



MOTORISED LOUVRES MOVEMENT



INVERTER COMPATIBLE

■ Desert Series

SLIMLINE 30




AIR DELIVERY
2300 Cu.m./hr



**WOOD WOOL
COOLING PADS**



**AIR THROW
DISTANCE**
10.7 m (35 ft.)



**SUITABLE FOR
ROOM SIZE UP TO
77 m³ (300 Sq.ft)**



WITH WHEEL



15 INCH FAN
38.1 cm (15 inch)



**MOTORISED
LOUVRES
MOVEMENT**


Personal Series

KENSTAR

PRIMEX SERIES




AIR DELIVERY
1200 Cu.m./hr



HONEYCOMB COOLING PADS



AIR THROW DISTANCE
9.8 m (32 ft.)



SUITABLE FOR ROOM SIZE UP TO
40 m³ (150 Sq.ft)



BLOWER
20.3 cm (8 inch)



MOTORISED LOUVRES MOVEMENT



ICE CHAMBER




DUST FILTER NET

Personal Series

LITTLE 22




AIR DELIVERY
1200 Cu.m./hr



HONEYCOMB COOLING PADS



AIR THROW DISTANCE
9.8 m (32 ft.)



SUITABLE FOR ROOM SIZE UP TO
40 m³ (150 Sq.ft)



BLOWER
20.3 cm (8 inch)



MOTORISED LOUVRES MOVEMENT



ICE CHAMBER



DUST FILTER NET

Personal Series


KENSTAR

PRIMEX SERIES

LITTLE DX




AIR DELIVERY
1200 Cu.m./hr



HONEYCOMB COOLING PADS



AIR THROW DISTANCE
9.8 m (32 ft.)



SUITABLE FOR ROOM SIZE UP TO 40 m² (150 Sq.ft)



BLOWER
20.3 cm (8 inch)



DUST FILTER NET



ICE CHAMBER


Tower Series



GLAM 50 RE




AIR DELIVERY
1150 Cu.m./hr



HONEYCOMB COOLING PADS



AIR THROW DISTANCE
8.5 m (28 ft.)




SUITABLE FOR ROOM SIZE UP TO
38 m³ (150 Sq.ft)



BLOWER
17.8 cm (7 inch)



MOTORISED LOUVRES MOVEMENT



ICE CHAMBER



DUST FILTER NET

Tower Series

KENSTAR

PRIMEX SERIES




GLAM 35 RE

ALSO AVAILABLE WITHOUT REMOTE




AIR DELIVERY
1150 Cu.m./hr



HONEYCOMB COOLING PADS



AIR THROW DISTANCE
8.5 m (28 ft.)



SUITABLE FOR ROOM SIZE UP TO
38 m³ (150 Sq.ft)



BLOWER
17.8 cm (7 inch)



DUST FILTER NET




ICE CHAMBER

Tower Series




AIR DELIVERY
1050 Cu.m./hr



**HONEYCOMB
COOLING PADS**



**AIR THROW
DISTANCE**
7.3 m (24 ft.)



**SUITABLE FOR
ROOM SIZE UP TO
35 m³ (140 Sq.ft)**



BLOWER
17.8 cm (7 inch)



**DUST
FILTER NET**



**ICE
CHAMBER**

Tower Series

KENSTAR

PRIMEX SERIES




GLAM 15

ALSO AVAILABLE WITH REMOTE




AIR DELIVERY
1050 Cu.m./hr



HONEYCOMB COOLING PADS



AIR THROW DISTANCE
7.3 m (24 ft.)



SUITABLE FOR ROOM SIZE UP TO
35 m³ (140 Sq.ft)



BLOWER
17.8 cm (7 inch)




DUST FILTER NET



ICE CHAMBER

Window Series



DOUBLE COOL DX 55

Trolley (Optional)




AIR DELIVERY
1750 Cu.m./hr



WOOD WOOL COOLING PADS



AIR THROW DISTANCE
13.7 m (45 ft.)



SUITABLE FOR ROOM SIZE UP TO
58 m³ (250 Sq.ft)



MOTORISED LOUVRES MOVEMENT



INVERTER COMPATIBLE






BLOWER
20.3 cm (8 inch)






COLLAPSIBLE LOUVRES







PRIMEX SERIES

SPECIFICATIONS AND FEATURES	HERCULES HC 100 RE	HERCULES HC 100	HERCULES HC 80 RE	HERCULES HC 80
				
TANK CAPACITY IN (ℓ)	100	100	80	80
REMOTE	Yes	No	Yes	No
AIR THROW METRES (ft.)	13.7 (45)	13.7 (45)	13.7 (45)	13.7 (45)
AIR DELIVERY (Cu.m/hr)	4000	4000	4000	4000
UP TO ROOM SIZE m ³ (Sq.ft)	133 (500)	133 (500)	133 (500)	133 (500)
WATTAGE (W) 230 V / 50 Hz	175	175	175	175
COOLING MEDIA	Honeycomb	Honeycomb	Honeycomb	Honeycomb
LENGTH (mm)	650	650	650	650
DEPTH (mm)	510	510	510	510
HEIGHT (mm)	1220	1220	1140	1140
NET WEIGHT (kg)	17.2	17.2	16.5	16.5
GROSS WEIGHT (kg)	22.3	22.3	21.6	21.6
SYSTEM RESTORE	Yes	No	Yes	No
HUMIDITY CONTROL	Yes	No	Yes	No
ICE CHAMBER	No	No	No	No
BLOWER / FAN SIZE	45.7 cm (18 inch) Plastic Blade	45.7 cm (18 inch) Plastic Blade	45.7 cm (18 inch) Plastic Blade	45.7 cm (18 inch) Plastic Blade
AIR FLOW TECHNOLOGY	Motorised Louvres	Motorised Louvres	Motorised Louvres	Motorised Louvres
WARRANTY	12 Months	12 Months	12 Months	12 Months





Under ideal test conditions. Actual performance may vary depending on the ambient conditions and the heat load. All specifications are approximate and may vary within $\pm 15\%$ of the specified value. All products are subject to continuous improvement. The company reserves the right to change specifications without any prior notice. Images shown above are not to scale. Features and filters may vary from model to model.

SPECIFICATIONS AND FEATURES	ICECOOL HC 60 RE	ICECOOL HC 60	ICECOOL 60	TURBOCOOL NEO HC 105 RE
				
TANK CAPACITY IN (ℓ)	60	60	60	105
REMOTE	Yes	No	No	Yes
AIR THROW METRES (ft.)	13.7 (45)	13.7 (45)	13.7 (45)	15.2 (50)
AIR DELIVERY (Cu.m./hr)	4000	4000	3800	4200
UP TO ROOM SIZE m ³ (Sq.ft)	133 (500)	133 (500)	133 (500)	140 (500)
WATTAGE (W) 230 V / 50 Hz	175	175	175	170
COOLING MEDIA	Honeycomb	Honeycomb	Wood Wool	Honeycomb
LENGTH (mm)	650	650	650	630
DEPTH (mm)	510	510	510	445
HEIGHT (mm)	1028	1028	1028	1428
NET WEIGHT (kg)	15	15	15	18
GROSS WEIGHT (kg)	19.4	19.4	19.4	23
SYSTEM RESTORE	Yes	No	No	Yes
HUMIDITY CONTROL	Yes	No	No	No
ICE CHAMBER	No	No	No	Yes
BLOWER / FAN SIZE	45.7 cm (18 inch) Plastic Blade	45.7 cm (18 inch) Plastic Blade	45.7 cm (18 inch) Plastic Blade	40.6 cm (16 inch) Plastic Fan Blade
AIR FLOW TECHNOLOGY	Motorised Louvres	Motorised Louvres	Motorised Louvres	Collapsible Louvres
WARRANTY	12 Months	12 Months	12 Months	12 Months





Under ideal test conditions. Actual performance may vary depending on the ambient conditions and the heat load. All specifications are approximate and may vary within ± 15% of the specified value. All products are subject to continuous improvement. The company reserves the right to change specifications without any prior notice. Images shown above are not to scale. Features and filters may vary from model to model.

SPECIFICATIONS AND FEATURES	TURBOCOOL NEO HC 105	TURBOCOOL NEO HC 70	TURBOCOOL NEO 70	TURBOCOOL NEO 50 RE
				
TANK CAPACITY IN (ℓ)	105	70	70	50
REMOTE	No	No	No	Yes
AIR THROW METRES (ft.)	15.2 (50)	15.2 (50)	13.7 (45)	13.7 (45)
AIR DELIVERY (Cu.m/hr)	4200	4200	4000	4000
UP TO ROOM SIZE m ³ (Sq.ft)	140 (500)	140 (500)	140 (500)	140 (500)
WATTAGE (W) 230 V / 50 Hz	170	170	170	170
COOLING MEDIA	Honeycomb	Honeycomb	Wood Wool	Wood Wool
LENGTH (mm)	630	630	630	630
DEPTH (mm)	445	445	445	445
HEIGHT (mm)	1428	1283	1283	1199
NET WEIGHT (kg)	18	16.5	16.5	15.5
GROSS WEIGHT (kg)	23	21	21	19.5
SYSTEM RESTORE	No	No	No	Yes
HUMIDITY CONTROL	No	No	No	No
ICE CHAMBER	Yes	Yes	Yes	Yes
BLOWER / FAN SIZE	40.6 cm (16 inch) Plastic Fan Blade	40.6 cm (16 inch) Plastic Fan Blade	40.6 cm (16 inch) Plastic Fan Blade	40.6 cm (16 inch) Plastic Fan Blade
AIR FLOW TECHNOLOGY	Collapsible Louvres	Collapsible Louvres	Collapsible Louvres	Collapsible Louvres
WARRANTY	12 Months	12 Months	12 Months	12 Months





Under ideal test conditions. Actual performance may vary depending on the ambient conditions and the heat load. All specifications are approximate and may vary within $\pm 15\%$ of the specified value. All products are subject to continuous improvement. The company reserves the right to change specifications without any prior notice. Images shown above are not to scale. Features and filters may vary from model to model.

SPECIFICATIONS AND FEATURES	TURBOCOOL NEO 50	TURBOCOOL NEO HC 50	SLIMLINE SUPER HC 40	SLIMLINE 30
				
TANK CAPACITY IN (ℓ)	50	50	40	30
REMOTE	No	No	No	No
AIR THROW METRES (ft.)	13.7 (45)	15.2 (50)	10.7 (35)	10.7 (35)
AIR DELIVERY (Cu.m./hr)	4000	4200	2650	2300
UP TO ROOM SIZE m ³ (Sq.ft)	140 (500)	140 (500)	88 (350)	77 (300)
WATTAGE (W) 230 V / 50 Hz	170	170	170	170
COOLING MEDIA	Wood Wool	Honeycomb	Honeycomb	Wood Wool
LENGTH (mm)	630	630	658	560
DEPTH (mm)	445	445	344	330
HEIGHT (mm)	1199	1199	1125	1050
NET WEIGHT (kg)	15.5	15.5	14	13
GROSS WEIGHT (kg)	19.5	19.5	16.5	16
SYSTEM RESTORE	No	No	No	No
HUMIDITY CONTROL	No	No	No	No
ICE CHAMBER	Yes	Yes	No	No
BLOWER / FAN SIZE	40.6 cm (16 inch) Plastic Fan Blade	40.6 cm (16 inch) Plastic Fan Blade	38.1 cm (15 inch) Fan	38.1 cm (15 inch) Fan
AIR FLOW TECHNOLOGY	Collapsible Louvres	Collapsible Louvres	Motorised Louvres	Motorised Louvres
WARRANTY	12 Months	12 Months	12 Months	12 Months

Under ideal test conditions. Actual performance may vary depending on the ambient conditions and the heat load. All specifications are approximate and may vary within \pm 15% of the specified value. All products are subject to continuous improvement. The company reserves the right to change specifications without any prior notice. Images shown above are not to scale. Features and filters may vary from model to model.

SPECIFICATIONS AND FEATURES	LITTLE 35	LITTLE 22	LITTLE DX	GLAM 50 RE	GLAM 35 RE
					
TANK CAPACITY IN (ℓ)	35	22	16	50	35
REMOTE	No	No	No	Yes	Yes
AIR THROW METRES (ft.)	9.8 (32)	9.8 (32)	9.8 (32)	8.5 (28)	8.5 (28)
AIR DELIVERY (Cu.m/hr)	1200	1200	1200	1150	1150
UP TO ROOM SIZE m ³ (Sq.ft)	40 (150)	40 (150)	40 (150)	38 (150)	38 (150)
WATTAGE (W) 230 V / 50 Hz	135	135	135	175	175
COOLING MEDIA	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
LENGTH (mm)	460	460	460	386	391
DEPTH (mm)	340	340	340	405	400
HEIGHT (mm)	855	715	660	1324	1126
NET WEIGHT (kg)	10.7	9.4	9	11.5	11
GROSS WEIGHT (kg)	12.7	11.2	11	15.5	14
SYSTEM RESTORE	No	No	No	Yes	Yes
HUMIDITY CONTROL	No	No	No	No	No
ICE CHAMBER	Yes	Yes	Yes	Yes	Yes
BLOWER / FAN SIZE	20.3 cm (8 inch) Blower	20.3 cm (8 inch) Blower	20.3 cm (8 inch) Blower	17.8 cm (7 inch) Blower	17.8 cm (7 inch) Blower
AIR FLOW TECHNOLOGY	Motorised Louvres	Motorised Louvres	Motorised Louvres	Motorised Louvres	Motorised Louvres
WARRANTY	12 Months	12 Months	12 Months	12 Months	12 Months

Under ideal test conditions. Actual performance may vary depending on the ambient conditions and the heat load. All specifications are approximate and may vary within $\pm 15\%$ of the specified value. All products are subject to continuous improvement. The company reserves the right to change specifications without any prior notice. Images shown above are not to scale. Features and filters may vary from model to model.

SPECIFICATIONS AND FEATURES	GLAM 35	GLAM 22 RE	GLAM 15 RE	GLAM 15	DOUBLE COOL DX 55
					
TANK CAPACITY IN (ℓ)	35	22	15	15	55
REMOTE	No	Yes	Yes	No	No
AIR THROW METRES (ft.)	8.5 (28)	7.3 (24)	7.3 (24)	7.3 (24)	13.7 (45)
AIR DELIVERY (Cu.m./hr)	1150	1050	1050	1050	1750
UP TO ROOM SIZE m ³ (Sq.ft)	38 (150)	35 (140)	35 (140)	35 (140)	58 (250)
WATTAGE (W) 230 V / 50 Hz	175	140	140	140	200
COOLING MEDIA	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Wood Wool
LENGTH (mm)	391	313	313	313	650
DEPTH (mm)	400	339	339	339	567
HEIGHT (mm)	1126	956	871	871	550
NET WEIGHT (kg)	11	9.5	9	9	14
GROSS WEIGHT (kg)	14	12	11.5	11.5	17.2
SYSTEM RESTORE	No	Yes	Yes	No	No
HUMIDITY CONTROL	No	No	No	No	No
ICE CHAMBER	Yes	Yes	Yes	Yes	No
BLOWER / FAN SIZE	17.8 cm (7 inch) Blower	17.8 cm (7 inch) Blower	17.8 cm (7 inch) Blower	17.8 cm (7 inch) Blower	20.3 cm (8 inch) Blower
AIR FLOW TECHNOLOGY	Motorised Louvres	Motorised Louvres	Motorised Louvres	Motorised Louvres	Motorised Louvres
WARRANTY	12 Months	12 Months	12 Months	12 Months	12 Months

Under ideal test conditions. Actual performance may vary depending on the ambient conditions and the heat load. All specifications are approximate and may vary within $\pm 15\%$ of the specified value. All products are subject to continuous improvement. The company reserves the right to change specifications without any prior notice. Images shown above are not to scale. Features and filters may vary from model to model.

**ULTIMEX
SERIES**




Desert Series



TALL BOY HC 105




AUTO DRAIN



HUMIDITY CONTROL
*Remote Model



AIR DELIVERY
4200 Cu.m./hr



HONEYCOMB COOLING PADS



AIR THROW DISTANCE
15.2 m (50 ft.)



SUITABLE FOR ROOM SIZE UP TO
140 m³ (500 Sq.ft)



ICE CHAMBER



DUST FILTER NET



INVERTER COMPATIBLE

Desert Series


NEW

TALLBOY HC 70 RE

ALSO AVAILABLE WITHOUT REMOTE




AIR DELIVERY
4200 Cu.m./hr



HONEYCOMB COOLING PADS



AIR THROW DISTANCE
15.2 m (50 ft.)



SUITABLE FOR ROOM SIZE UP TO
140 m³ (500 Sq.ft)



ICE CHAMBER



DUST FILTER NET




SYSTEM RESTORE
*Remote Model

Desert Series

TALL BOY HC 50




AIR DELIVERY
4200 Cu.m./hr



HONEYCOMB COOLING PADS



AIR THROW DISTANCE
15.2 m (50 ft.)



SUITABLE FOR ROOM SIZE UP TO
140 m³ (500 Sq.ft)



ICE CHAMBER



DUST FILTER NET



INVERTER COMPATIBLE

Desert Series



SNOW COOL HC 90 RE


ALSO AVAILABLE WITHOUT REMOTE




AIR DELIVERY
4300 Cu.m./hr



AIR THROW DISTANCE
10.7 m (35 ft.)



HONEYCOMB COOLING PADS



SUITABLE FOR ROOM SIZE UP TO
143 m³ (500 Sq.ft)



SYSTEM RESTORE
*Remote Model



INVERTER COMPATIBLE

Desert Series

KENSTAR


ULTIMEX SERIES

SNOW COOL HC 55 RE

ALSO AVAILABLE WITHOUT REMOTE




AIR DELIVERY
4300 Cu.m./hr



HONEYCOMB COOLING PADS



AIR THROW DISTANCE
10.7 m (35 ft.)



SUITABLE FOR ROOM SIZE UP TO
143 m³ (500 Sq.ft)



LARGE PLASTIC FAN BLADE
40.6 cm (16 inch)



MOTORISED LOUVRES MOVEMENT



INVERTER COMPATIBLE

Desert Series



DUAL HEIGHT



**COOL BLASTER
NEO 80**

NEW




AIR DELIVERY
5800 Cu.m./hr



**WOOD WOOL
COOLING PADS**



**AIR THROW
DISTANCE**
10.7 m (35 ft.)



**SUITABLE FOR
ROOM SIZE UP TO
200 m³ (700 Sq.ft)**



**LARGE AND
POWERFUL
FAN BLADE**
45.7 cm (18 inch)



**MOTORISED
LOUVRES
MOVEMENT**



**INVERTER
COMPATIBLE**

*Castor wheels can be directly fitted into the base.

Desert Series

ULTIMEX SERIES



DUAL HEIGHT



**COOL BLASTER
NEO 60**
NEW




AIR DELIVERY
5800 Cu.m./hr



**WOOD WOOL
COOLING PADS**



**AIR THROW
DISTANCE**
10.7 m (35 ft.)



**SUITABLE FOR
ROOM SIZE UP TO**
200 m³ (700 Sq.ft)



**LARGE AND
POWERFUL
FAN BLADE**
45.7 cm (18 inch)



**MOTORISED
LOUVRES
MOVEMENT**



**INVERTER
COMPATIBLE**

*Castor wheels can be directly fitted into the base.

Desert Series

NEW

TALLDE 50




AIR DELIVERY
4000 Cu.m./hr



WOOD WOOL COOLING PADS




AIR THROW DISTANCE
13.7 m (45 ft.)




SUITABLE FOR ROOM SIZE UP TO
140 m³ (500 Sq.ft)



INVERTER COMPATIBLE



COLLAPSIBLE LOUVRES



ICE CHAMBER



360° CASTOR WHEEL

Personal Series

KENSTAR

ULTIMEX SERIES

CHILL 35




COLLAPSIBLE LOUVRES



DUST FILTER NET




AIR DELIVERY
1300 Cu.m./hr



HONEYCOMB COOLING PADS



AIR THROW DISTANCE
10.7 m (35 ft.)



SUITABLE FOR ROOM SIZE UP TO
43 m³ (150 Sq.ft)



INVERTER COMPATIBLE



ICE CHAMBER



BLOWER
17.8 cm (7 inch)

Personal Series

CHILL 18




COLLAPSIBLE LOUVRES



DUST FILTER NET




AIR DELIVERY
1300 Cu.m./hr



HONEYCOMB COOLING PADS




AIR THROW DISTANCE
10.7 m (35 ft.)



SUITABLE FOR ROOM SIZE UP TO
43 m³ (150 Sq.ft)



INVERTER COMPATIBLE



ICE CHAMBER



BLOWER
17.8 cm (7 inch)

Window Series


ULTIMEX SERIES



VENTINA PLUS 60



COLLAPSIBLE LOUVRES



DUST FILTER NET




AUTO DRAIN

Trolley (Optional)



AIR DELIVERY
1850 Cu.m./hr



HUMIDITY CONTROL
(*Ventina Plus Only)



WOOD WOOL COOLING PADS



AIR THROW DISTANCE
10.7 m (35 ft.)



SUITABLE FOR ROOM SIZE UP TO 58 m³ (250 Sq.ft)



ICE CHAMBER



BLOWER
20.3 cm (8 inch)

Window Series



VENTINA 60



COLLAPSIBLE LOUVRES

Trolley (Optional)




AIR DELIVERY
1850 Cu.m./hr



WOOD WOOL COOLING PADS



AIR THROW DISTANCE
10.7 m (35 ft.)



SUITABLE FOR ROOM SIZE UP TO
58 m³ (250 Sq.ft)



ICE CHAMBER




BLOWER
20.3 cm (8 inch)



INVERTER COMPATIBLE






ULTIMEX SERIES

SPECIFICATIONS AND FEATURES	TALL BOY HC 105	TALLBOY HC 70 RE	TALLBOY HC 70	TALL BOY HC 50
				
TANK CAPACITY IN (ℓ)	105	70	70	50
REMOTE	No	Yes	No	No
AIR THROW METRES (ft.)	15.2 (50)	15.2 (50)	15.2 (50)	15.2 (50)
AIR DELIVERY (Cu.m./hr)	4200	4200	4200	4200
UP TO ROOM SIZE m³ (Sq.ft)	140 (500)	140 (500)	140 (500)	140 (500)
WATTAGE (W) 230 V / 50 Hz	170	170	170	170
COOLING MEDIA	Honeycomb	Honeycomb	Honeycomb	Honeycomb
LENGTH (mm)	630	630	630	630
DEPTH (mm)	445	445	445	445
HEIGHT (mm)	1428	1283	1283	1199
NET WEIGHT (kg)	18	16.5	16.5	16
GROSS WEIGHT (kg)	23	22.5	22.5	22
SYSTEM RESTORE	No	Yes	No	No
HUMIDITY CONTROL	Yes	No	No	No
ICE CHAMBER	Yes	Yes	Yes	Yes
BLOWER / FAN SIZE	40.6 cm (16 inch) Plastic Blade	40.6 cm (16 inch) Plastic Blade	40.6 cm (16 inch) Plastic Blade	40.6 cm (16 inch) Plastic Blade
AIR FLOW TECHNOLOGY	Motorised Louvres	Motorised Louvres	Motorised Louvres	Motorised Louvres
WARRANTY	12 Months	12 Months	12 Months	12 Months



Under ideal test conditions. Actual performance may vary depending on the ambient conditions and the heat load. All specifications are approximate and may vary within ± 15% of the specified value. All products are subject to continuous improvement. The company reserves the right to change specifications without any prior notice. Images shown above are not to scale. Features and filters may vary from model to model.

SPECIFICATIONS AND FEATURES	SNOW COOL HC 90 RE	SNOW COOL HC 90	SNOW COOL HC 55 RE	SNOW COOL HC 55
				
TANK CAPACITY IN (ℓ)	90	90	55	55
REMOTE	Yes	No	Yes	No
AIR THROW METRES (ft.)	10.7 (35)	10.7 (35)	10.7 (35)	10.7 (35)
AIR DELIVERY (Cu.m./hr)	4300	4300	4300	4300
UP TO ROOM SIZE m ³ (Sq.ft)	143 (500)	143 (500)	143 (500)	143 (500)
WATTAGE (W) 230 V / 50 Hz	200	200	200	200
COOLING MEDIA	Honeycomb	Honeycomb	Honeycomb	Honeycomb
LENGTH (mm)	635	635	635	635
DEPTH (mm)	445	445	445	445
HEIGHT (mm)	1243	1243	1088	1088
NET WEIGHT (kg)	16.8	16.8	15.5	15.5
GROSS WEIGHT (kg)	21.3	21.3	20	20
SYSTEM RESTORE	Yes	No	Yes	No
HUMIDITY CONTROL	No	No	No	No
ICE CHAMBER	No	No	No	No
BLOWER / FAN SIZE	40.6 cm (16 inch) Plastic Blade	40.6 cm (16 inch) Plastic Blade	40.6 cm (16 inch) Plastic Blade	40.6 cm (16 inch) Plastic Blade
AIR FLOW TECHNOLOGY	Motorised Louvres	Motorised Louvres	Motorised Louvres	Motorised Louvres
WARRANTY	12 Months	12 Months	12 Months	12 Months

Under ideal test conditions. Actual performance may vary depending on the ambient conditions and the heat load. All specifications are approximate and may vary within $\pm 15\%$ of the specified value. All products are subject to continuous improvement. The company reserves the right to change specifications without any prior notice. Images shown above are not to scale. Features and filters may vary from model to model.

SPECIFICATIONS AND FEATURES	COOL BLASTER NEO 80	COOL BLASTER NEO 60	TALLDE 50	CHILL 35
				
TANK CAPACITY IN (ℓ)	80	60	50	35
REMOTE	No	No	No	No
AIR THROW METRES (ft.)	10.7 (35)	10.7 (35)	13.7 (45)	10.7(35)
AIR DELIVERY (Cu.m./hr)	5800	5800	4000	1300
UP TO ROOM SIZE m³ (Sq.ft)	200 (700)	200 (700)	140 (500)	43 (150)
WATTAGE (W) 230 V / 50 Hz	170	170	170	140
COOLING MEDIA	Wood Wool	Wood Wool	Wood Wool	Honeycomb
LENGTH (mm)	665	665	630	465
DEPTH (mm)	620	620	445	370
HEIGHT (mm)	910	822	1199	861
NET WEIGHT (kg)	15.7	14.9	15	10.7
GROSS WEIGHT (kg)	22.8	21.4	19	13
SYSTEM RESTORE	No	No	No	No
HUMIDITY CONTROL	No	No	No	No
ICE CHAMBER	No	No	Yes	Yes
COLLAPSIBLE LOUVRES	No	No	Yes	Yes
BLOWER / FAN SIZE	47.5 cm (18 inch) Plastic Fan Blade	47.5 cm (18 inch) Plastic Fan Blade	40.6 cm (16 inch) Plastic Fan Blade	17.8 cm (7 inch) Blower
AIR FLOW TECHNOLOGY	Motorised Louvres	Motorised Louvres	Collapsible Louvres	Motorised Louvres
WARRANTY	12 Months	12 Months	12 Months	12 Months

Under ideal test conditions. Actual performance may vary depending on the ambient conditions and the heat load. All specifications are approximate and may vary within ± 15% of the specified value. All products are subject to continuous improvement. The company reserves the right to change specifications without any prior notice. Images shown above are not to scale. Features and filters may vary from model to model.

SPECIFICATIONS AND FEATURES	CHILL 18	VENTINA PLUS 60	VENTINA 60
			
TANK CAPACITY IN (ℓ)	18	60	60
REMOTE	No	No	No
AIR THROW METRES (ft.)	10.7 (35)	10.7 (35)	10.7 (35)
AIR DELIVERY (Cu.m./hr)	1300	1850	1850
UP TO ROOM SIZE m ³ (Sq.ft)	43 (150)	58 (250)	58 (250)
WATTAGE (W) 230 V / 50 Hz	140	210	210
COOLING MEDIA	Honeycomb	Wood Wool	Wood Wool
LENGTH (mm)	465	660	660
DEPTH (mm)	370	600	600
HEIGHT (mm)	723	591	591
NET WEIGHT (kg)	10.2	13.8	13.8
GROSS WEIGHT (kg)	12.3	16.7	16.7
SYSTEM RESTORE	No	No	No
HUMIDITY CONTROL	No	Yes	No
ICE CHAMBER	Yes	Yes	Yes
COLLAPSIBLE LOUVRES	Yes	Yes	Yes
BLOWER / FAN SIZE	17.8 cm (7 inch) Blower	20.3 cm (8 inch) Blower	20.3 cm (8 inch) Blower
AIR FLOW TECHNOLOGY	Motorised Louvres	Motorised Louvres	Motorised Louvres
WARRANTY	12 Months	12 Months	12 Months

Under ideal test conditions. Actual performance may vary depending on the ambient conditions and the heat load. All specifications are approximate and may vary within $\pm 15\%$ of the specified value. All products are subject to continuous improvement. The company reserves the right to change specifications without any prior notice. Images shown above are not to scale. Features and filters may vary from model to model.


**SUPERMEX
SERIES**



Desert Series

KENSTAR

SENSIO HC 50



AUTO MODE
(Temp. & Humidity
Sense Technology)



**7 SPEED
CONTROL**




**LOW NOISE
BLDC MOTOR**

**SMART
REMOTE**

SUPERMEX SERIES




AIR DELIVERY
3900 Cu.m./hr



**HONEYCOMB
COOLING PADS**



**AIR THROW
DISTANCE**
11.6 m (38 ft.)



**SUITABLE FOR
ROOM SIZE UP TO**
130 m³ (450 Sq.ft)



**INVERTER
COMPATIBLE**



**ENERGY
SAVING**




ROTO SWING

Desert Series

COOL BLASTER NEO 51



DUAL HEIGHT




AIR DELIVERY
3000 Cu.m./hr



WOOD WOOL COOLING PADS




AIR THROW DISTANCE
9.1 m (30 ft.)



SUITABLE FOR ROOM SIZE UP TO
100 m³ (350 Sq.ft)



ICE CHAMBER



COLLAPSIBLE LOUVRES



INVERTER COMPATIBLE


*Castor wheels can be directly fitted into the base.

Personal Series

COLT 35




AIR DELIVERY
1200 Cu.m./hr



HONEYCOMB COOLING PADS



AIR THROW DISTANCE
9.8 m (32 ft.)



SUITABLE FOR ROOM SIZE UP TO
40 m³ (150 Sq.ft)



BLOWER
20.3 cm (8 inch)



MOTORISED LOUVRES MOVEMENT



ICE CHAMBER




DUST FILTER NET

Personal Series

COLT 16




AIR DELIVERY
1200 Cu.m./hr



HONEYCOMB COOLING PADS



AIR THROW DISTANCE
9.8 m (32 ft.)



SUITABLE FOR ROOM SIZE UP TO 40 m³ (150 Sq.ft)




BLOWER
20.3 cm (8 inch)



MOTORISED LOUVRES MOVEMENT



ICE CHAMBER



DUST FILTER NET

Tower Series



GLAM SMART 35




IOT ENABLED




AIR DELIVERY
1150 Cu.m./hr




AIR THROW DISTANCE
8.5 m (28 ft.)



HONEYCOMB COOLING PADS




SUITABLE FOR ROOM SIZE UP TO
38 m³ (150 Sq.ft.)



DUST FILTER NET



BLOWER
178 cm (7 inch)



ICE CHAMBER

Window Series



AUSTER 55

Trolley (Optional)




AIR DELIVERY
1750 Cu.m./hr



**WOOD WOOL
COOLING PADS**



**AIR THROW
DISTANCE**
13.7 m (45 ft.)



**SUITABLE FOR
ROOM SIZE UP TO**
58 m² (250 Sq.ft)



**MOTORISED
LOUVRES
MOVEMENT**



**INVERTER
COMPATIBLE**

■ Table Top Series



NIX 12




COLLAPSIBLE LOUVRES



DUST FILTER NET




AIR DELIVERY
600 Cu.m./hr



HONEYCOMB COOLING PADS



AIR THROW DISTANCE
3.0 m (10 ft.)



SUITABLE FOR ROOM SIZE UP TO
20 m² (70 Sq.ft)






ICE CHAMBER





INVERTER COMPATIBLE



BLOWER
15.2 cm (6 inch)

SPECIFICATIONS AND FEATURES	SENSIO HC 50	COOL BLASTER NEO 51	COLT 35	COLT 16
				
TANK CAPACITY IN (ℓ)	50	51	35	16
REMOTE	Yes	No	No	No
AIR THROW METRES (ft.)	11.6 (38)	9.1 (30)	9.8 (32)	9.8 (32)
AIR DELIVERY (Cu.m./hr)	3900	3000	1200	1200
UP TO ROOM SIZE m ³ (Sq.ft)	130 (450)	100 (350)	40 (150)	40 (150)
WATTAGE (W) 230 V / 50 Hz	130	100	135	135
COOLING MEDIA	Honeycomb	Wood Wool	Honeycomb	Honeycomb
LENGTH (mm)	610	545	460	460
DEPTH (mm)	466	455	355	355
HEIGHT (mm)	988	755	860	665
NET WEIGHT (kg)	15.2	11	10.8	9.2
GROSS WEIGHT (kg)	19.6	13.6	12.9	11.2
SYSTEM RESTORE	Yes	No	No	No
HUMIDITY CONTROL	Yes	No	No	No
ICE CHAMBER	No	Yes	Yes	Yes
BLOWER / FAN SIZE	40.6 cm (16 inch) Plastic Blade	35.5 cm (14 inch) Plastic Blade	20.3 cm (8 inch) Blower	20.3 cm (8 inch) Blower
AIR FLOW TECHNOLOGY	Roto Swing	Motorised Louvres	Motorised Louvres	Motorised Louvres
WARRANTY	12 Months	12 Months	12 Months	12 Months

Under ideal test conditions. Actual performance may vary depending on the ambient conditions and the heat load. All specifications are approximate and may vary within $\pm 15\%$ of the specified value. All products are subject to continuous improvement. The company reserves the right to change specifications without any prior notice. Images shown above are not to scale. Features and filters may vary from model to model.

SPECIFICATIONS AND FEATURES	GLAM SMART 35	AUSTER 55	NIX 12
			
TANK CAPACITY IN (ℓ)	35	55	12
REMOTE	Yes	No	No
AIR THROW METRES (ft.)	8.5 (28)	13.7 (45)	3.0 (10)
AIR DELIVERY (Cu.m./hr)	1150	1750	600
UP TO ROOM SIZE m ³ (Sq.ft)	38 (150)	58 (250)	20 (70)
WATTAGE (W) 230 V / 50 Hz	175	200	80
COOLING MEDIA	Honeycomb	Wood Wool	Honeycomb
LENGTH (mm)	391	650	273
DEPTH (mm)	400	530	284
HEIGHT (mm)	1126	567	590
NET WEIGHT (kg)	11	14	5.0
GROSS WEIGHT (kg)	14	17.2	6.0
SYSTEM RESTORE	Yes	No	No
HUMIDITY CONTROL	No	No	No
ICE CHAMBER	Yes	No	Yes
BLOWER / FAN SIZE	17.8 cm (7 inch) Blower	20.3 cm (8 inch) Blower	15.2 cm (6 inch) Blower
AIR FLOW TECHNOLOGY	Motorised Louvres	Motorised Louvres	Motorised Louvres
WARRANTY	12 Months	12 Months	12 Months

Under ideal test conditions. Actual performance may vary depending on the ambient conditions and the heat load. All specifications are approximate and may vary within $\pm 15\%$ of the specified value. All products are subject to continuous improvement. The company reserves the right to change specifications without any prior notice. Images shown above are not to scale. Features and filters may vary from model to model.

**MAKE
TO ORDER
SERIES**



Desert Series




A5X HC 50 RE

ALSO AVAILABLE WITHOUT REMOTE



AIR DELIVERY
3335 Cu.m./hr



HONEYCOMB COOLING PADS



AIR THROW DISTANCE
11.6 m (38 ft.)



SUITABLE FOR ROOM SIZE UP TO
111 m³ (400 Sq.ft)



LARGE 16" FAN
40.6 cm (16 inch)



ROTO SWING




INVERTER COMPATIBLE

■ Desert Series



DUAL HEIGHT




**COOL BLASTER
HC 80 RE**

ALSO AVAILABLE
WITHOUT REMOTE




AIR DELIVERY
6000 Cu.m./hr



**HONEYCOMB
COOLING PADS**



**AIR THROW
DISTANCE**
10.7 m (35 ft.)



**SUITABLE FOR
ROOM SIZE UP TO
200 m² (700 Sq.ft)**



**LARGE AND POWERFUL
FAN BLADE**
45.7 cm (18 inch)




**MOTORISED
LOUVRES
MOVEMENT**



**HUMIDITY
CONTROL**
*Remote Model

*Caster wheels can be directly fitted into the base.

Desert Series



DUAL HEIGHT


**COOL BLASTER
HC 60 RE**
ALSO AVAILABLE
WITHOUT REMOTE



REMOTE




AIR DELIVERY
6000 Cu.m./hr



**HONEYCOMB
COOLING PADS**



**AIR THROW
DISTANCE**
10.7 m (35 ft.)




**SUITABLE FOR
ROOM SIZE UP TO
200 m³ (700 Sq.ft)**



**LARGE AND POWERFUL
FAN BLADE**
45.7 cm (18 inch)






**MOTORISED
LOUVRES
MOVEMENT**





**HUMIDITY
CONTROL**
*Remote Model

*Castor wheels can be directly fitted into the base.

SPECIFICATIONS AND FEATURES	A5X HC 50 RE	A5X HC 50	COOL BLASTER HC 80 RE
			
TANK CAPACITY IN (ℓ)	50	50	80
REMOTE	Yes	No	Yes
AIR THROW METRES (ft.)	11.6 (38)	11.6 (38)	10.7 (35)
AIR DELIVERY (Cu.m./hr)	3335	3335	6000
UP TO ROOM SIZE m ³ (Sq.ft)	111 (400)	111 (400)	200 (700)
WATTAGE (W) 230 V / 50 Hz	175	175	170
COOLING MEDIA	Honeycomb	Honeycomb	Honeycomb
LENGTH (mm)	610	610	665
DEPTH (mm)	466	466	620
HEIGHT (mm)	988	988	910
NET WEIGHT (kg)	15.2	15.2	19.2
GROSS WEIGHT (kg)	19.6	19.6	24.5
SYSTEM RESTORE	Yes	No	Yes
HUMIDITY CONTROL	No	No	Yes
ICE CHAMBER	No	No	No
BLOWER / FAN SIZE	40.6 cm (16 inch) Plastic Blade	40.6 cm (16 inch) Plastic Blade	45.7 cm (18 inch) Plastic Blade
AIR FLOW TECHNOLOGY	Roto Swing	Roto Swing	Motorised Louvres
WARRANTY	12 Months	12 Months	12 Months

Under ideal test conditions. Actual performance may vary depending on the ambient conditions and the heat load. All specifications are approximate and may vary within $\pm 15\%$ of the specified value. All products are subject to continuous improvement. The company reserves the right to change specifications without any prior notice. Images shown above are not to scale. Features and filters may vary from model to model.

SPECIFICATIONS AND FEATURES	COOL BLASTER HC 80	COOL BLASTER HC 60 RE	COOL BLASTER HC 60
			
TANK CAPACITY IN (ℓ)	80	60	60
REMOTE	No	Yes	No
AIR THROW METRES (ft.)	10.7 (35)	10.7 (35)	10.7 (35)
AIR DELIVERY (Cu.m./hr)	6000	6000	6000
UP TO ROOM SIZE m ³ (Sq.ft)	200 (700)	200 (700)	200 (700)
WATTAGE (W) 230 V / 50 Hz	170	170	170
COOLING MEDIA	Honeycomb	Honeycomb	Honeycomb
LENGTH (mm)	665	665	665
DEPTH (mm)	620	620	620
HEIGHT (mm)	910	822	822
NET WEIGHT (kg)	19.2	17.6	17.6
GROSS WEIGHT (kg)	24.5	22.6	22.6
SYSTEM RESTORE	No	Yes	No
HUMIDITY CONTROL	No	Yes	No
ICE CHAMBER	No	No	No
BLOWER / FAN SIZE	45.7 cm (18 inch) Plastic Blade	45.7 cm (18 inch) Plastic Blade	45.7 cm (18 inch) Plastic Blade
AIR FLOW TECHNOLOGY	Motorised Louvres	Motorised Louvres	Motorised Louvres
WARRANTY	12 Months	12 Months	12 Months

Under ideal test conditions. Actual performance may vary depending on the ambient conditions and the heat load. All specifications are approximate and may vary within \pm 15% of the specified value. All products are subject to continuous improvement. The company reserves the right to change specifications without any prior notice. Images shown above are not to scale. Features and filters may vary from model to model.



facebook: Kenstar India



twitter: Kenstar India



youtube: Kenstar India



instagram: Kenstar India

www.kenstar.in



+91 9667700943



customercare@kenstar.in

1860-258-2580

Register your product online and get
ADDITIONAL WARRANTY*
at no extra cost

Ken Lifestyles Pvt. Ltd.

254, Ground Floor, Udyog Vihar Phase IV, Gurugram – 122015, Haryana, India.

The features, appearance and technical specifications mentioned are subject to change without any prior notice. The product images shown are for representation purpose only and may vary from actual products. For the latest price updates, please contact your nearest authorised Kenstar dealer.